

CITY OF HARWOOD
PO BOX 65
HARWOOD, ND 58042

PRSRT STD
US POSTAGE PAID
HARWOOD, ND
58042
PERMIT NO. 2

ECRWSS
POSTAL CUSTOMER
HARWOOD, ND 58042

City of Harwood Water Quality Report 2013



The City of Harwood Water Treatment Plant is issuing this report to inform customers about the quality of water produced and distributed in 2013. If you are a large volume user, please distribute a copy of this Water Quality Report to consumers who do not receive a bill.

We are again pleased to report that no contaminants were detected that exceeded EPA limits in drinking water.

If you have questions about Harwood drinking water, or if you are aware of non-English speaking individuals who need help with the appropriate language translation, please contact the city office at (701) 281-0314.

If you would like opportunities for public participation in decisions that affect water quality, please attend a city council meeting held the 1st Monday of each month beginning at 7:00 p.m. You can check the city's website for exact meeting dates at www.cityofharwood.com.

Some people may be more vulnerable to contaminants found in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

What You Need to Know About Drinking Water Regulations

To ensure that tap water is safe to drink, the Environmental Protection Agency (EPA) prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

Before the City of Harwood can deliver water to your home, it must first be thoroughly tested in certified laboratories. Harwood water was tested for many different contaminants and only those detected are listed in the Table. **No contaminants were detected that exceeded limits in drinking water.** The ND Department of Health requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, are more than one year old.

The highest level of a substance allowed in drinking water is the Maximum Contaminant Level (MCL), which is set by the EPA.

The MCL for lead and copper is known as the Action Level (AL). This is the concentration which, if exceeded, triggers treatment or other requirements a water system must follow. Ninety percent of all samples tested must be below this concentration. During 2012, no samples from the Harwood system tested above the action level for either copper or lead. If present, elevated levels of lead can cause serious health problems, especially for

pregnant women and young children. Lead in drinking water is primarily from material and components associated with service lines and home plumbing. The City of Harwood is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. **Use water from the cold tap for drinking and cooking. To minimize potential for lead exposure, use the cold water tap for cooking and drinking water, and allow water to run for 30 seconds to 2 minutes before using if the tap has not be opened for several hours.** If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at

<http://www.epa.gov/safewater/lead>.

Water Treatment: The Key to Great Water

Most small cities like Harwood use ground water as the community water source. The City of Harwood's water treatment/storage facility treats your water by filtration and disinfection. The plant has a detection, aeration and iron & manganese removal filtration system. Filtration removes particles suspended in the source water. Particles typically include clays and silts, natural organic matter, iron and manganese, and microorganisms. Your water is also treated by disinfection. Disinfection involves the addition of chlorine or other disinfectants to kill bacteria and other microorganisms (viruses, cysts, etc.) that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century. The chemical and physical processes used at the plant convert ground water with variable characteristics into consistently safe & good-tasting drinking water.

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally

occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: **microbial contaminants**, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; **inorganic contaminants**, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; **pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; **organic chemical contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and **radioactive contaminants**, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our Water Supply, Drought Management & Wellhead Protection

The primary water source for the Harwood's Water is ground water from the West Harwood Aquifer. The City of Harwood has a drought management plan and adopted an ordinance that mandates citizen participation during drought to reduce the impact to all water users. Please observe Harwood's odd/even lawn watering schedule when necessary to implement to help reduce peak demand. Harwood is also a member of the Wellhead Protection Program. Our public water system, in cooperation with the ND Department of Health, has completed the delineation and contaminant/land use inventory elements of the ND Department of Source Water

Protection Program. Based on the information from these elements, the ND Department of Health has determined that our source water is not susceptible to potential contaminants. This report is on file and available for inspection in the city office.

For more information please contact:

BERNIE STASCH, Public Works Superintendent
108 Main Street, Harwood, ND 58042
Phone: 701-238-6200
Fax: 701-282-0543
E-Mail: publicworks@cityofharwood.com
Website: <http://www.cityofharwood.com>



KEY TO TERMS & ABBREVIATIONS IN THE TABLE

MCLG: Maximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCL: Maximum Contaminant Level. The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology.

MRDLG: Maximum Residual Disinfectant Level Goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

MRDL: Maximum Residual Disinfectant Level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Level Detected: The highest level of that contaminant used to determine compliance with a National Primary Drinking Water Regulation. This can be the highest amount found in the water, or the average of all samples analyzed, depending on the regulation.

Range: The lowest to highest result value recorded during the required monitoring timeframe for systems with multiple entry points.

Turbidity is a measure of water clarity monitored at the Harwood Water Treatment Plant. Certain treatment techniques (**TT**) are required to reduce the level in the drinking water. Regulations require turbidity to be <0.3 NTU 95% of the time and <1.0 NTU 100% of the time. Turbidity has no health effects, but can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms such as bacteria, viruses, and parasites that can cause nausea, cramps, diarrhea and associated headaches. **AL:** Action Level. **N/A:** Does not apply. **ND:** None detected. **NTU:** Nephelometric Turbidity Units. **pCi/L:** picocuries per liter (a measure of radioactivity.) **ppb:** parts per billion. **ppm:** parts per million. **TT:** Treatment Technique

Unit Descriptions	
Term	Definition
ug/L	ug/L : Number of micrograms of substance in one liter of water
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (µg/L)
pCi/L	pCi/L: picocuries per liter (a measure of radioactivity)
NA	NA: not applicable
ND	ND: Not detected
NR	NR: Monitoring not required, but recommended.

Important Drinking Water Definitions	
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level



Water Quality Data Table

Monitoring Results

<u>Contaminants</u>	<u>MCLG</u> or <u>MRDLG</u>	<u>MCL,</u> <u>TT, or</u> <u>MRDL</u>	<u>Your</u> <u>Water</u>	<u>Range</u>		<u>Sample</u> <u>Date</u>	<u>Violation</u>	<u>Typical Source</u>
				<u>Low</u>	<u>High</u>			
Disinfectants & Disinfectant By-Products								
(There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants)								
Chlorine (as Cl ₂) (ppm)	4	4	0.4	ND	0.4	2013	No	Water additive used to control microbes
Haloacetic Acids (HAA5) (ppb)	NA	60	1	ND	60	2013	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	44	ND	44	2013	No	By-product of drinking water disinfection
Inorganic Contaminants								
Arsenic (ppb)	0	10	3.32	NA		2010	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.0331	NA		2009	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Fluoride (ppm)	4	4	1.07	NA		2009	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Nitrate [measured as Nitrogen] (ppm)	10	10	1.29	NA		2013	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	3.6	NA		2009	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Radioactive Contaminants								
Alpha emitters (pCi/L)	0	15	1.56	NA		2013	No	Erosion of natural deposits
Radium (combined 226/228) (pCi/L)	0	5	0.084	NA		2013	No	Erosion of natural deposits
Uranium (ug/L)	0	30	0.36	NA		2013	No	Erosion of natural deposits
<u>Contaminants</u>	<u>MCLG</u>	<u>AL</u>	<u>Your</u> <u>Water</u>	<u>Sample</u> <u>Date</u>	<u># Samples</u> <u>Exceeding AL</u>	<u>Exceeds</u> <u>AL</u>	<u>Typical Source</u>	
Inorganic Contaminants								
Copper - action level at consumer taps (ppm)	1.3	1.3	0.71	2012	0	No	Corrosion of household plumbing systems; Erosion of natural deposits	
Lead - action level at consumer taps (ppb)	0	15	1.29	2012	0	No	Corrosion of household plumbing systems; Erosion of natural deposits	

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers - a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.epa.gov/watersense for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides – they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste - Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.